

Safety Data Sheet

Issue Date: 15-Apr-2019

Revision Date: 17-Sep-20

Version 1

1. IDENTIFICATION

Product identifier Product Name	SPLASH Original Blue Windshield Wash +22°F	
Other means of identification SDS #/Part #	236226 (Gallon), 236255 (55 Gallon)	
UN/ID No	UN1993	
Recommended use of the chemical and restrictions on useRecommended UseWindshield washer fluid.		
Details of the supplier of the safety Manufacturer Address FMP 1380 Corporate Center Curve, Suite 2 Eagan, MN 55121 Phone: 888-784-0802 Emergency telephone number Emergency Telephone		

2. HAZARDS IDENTIFICATION

Appearance Blue liquid

Physical state Liquid

Odor Alcohol

Classification

Acute toxicity - Oral	Category 4
Specific target organ toxicity (single exposure)	Category 1
Flammable liquids	Category 3

<u>Signal Word</u> Danger

Hazard statements

Harmful if swallowed Causes damage to organs Flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth IN CASE OF FIRE: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Methanol	67-56-1	5-10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment.	
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin Contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.	
Inhalation	Remove to fresh air.	
Ingestion	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Harmful if swallowed. May be harmful in contact with skin. Causes damage to organs.	

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

Explosion Data

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Remove all sources of ignition.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Wear protective gloves/eye protection/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.
Incompatible Materials	None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

	NIOSH IDLH
67-56-1 TWA: 200 ppm TWA: 260 mg/m³ TWA: 200 ppm TWA: 200 ppm <th>DLH: 6000 ppm TWA: 200 ppm WA: 260 mg/m³ STEL: 250 ppm TEL: 325 mg/m³</th>	DLH: 6000 ppm TWA: 200 ppm WA: 260 mg/m ³ STEL: 250 ppm TEL: 325 mg/m ³

Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits.	
Individual protection measures, such as personal protective equipment		
Eye/Face Protection	Wear eye/face protection. Refer to 29 CFR 1910.133 for eye and face protection regulations.	
Skin and Body Protection	Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.	
Respiratory Protection	Refer to 29 CFR 1910.134 for respiratory protection requirements.	

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid Blue liquid Blue	Odor Odor Threshold	Alcohol Not determined
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits Vapor Pressure Vapor Density Relative Density Relative Density Water Solubility Solubility in other solvents Partition Coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic Viscosity Explosive Properties	Values_ 8.2 -5.56 °C / 21.9 °F 93 °C / 199.4 °F 59 °C / 138.2 °F Not determined Liquid - Not Applicable Not determined Not determined	<u>Remarks • Method</u>	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin.
Inhalation	Do not inhale.
Ingestion	Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit) = 15800	= 22500 ppm (Rat) 8 h = 64000
67-56-1		mg/kg (Rabbit)	ppm (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.	
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.	
STOT - single exposure	Causes damage to organs.	
Numerical measures of toxicity		
The following values are calculated based on chapter 3.1 of the GHS document . Oral LD50 1,111.11 mg/kg		

Oral LD50	1,111.11 mg/kg
Dermal LD50	3,333.30 mg/kg
ATEmix (inhalation-dust/mist)	5.57 mg/L
ATEmix (inhalation-vapor)	33.30 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Methanol		18 - 20: 96 h Oncorhynchus mykiss	
67-56-1		mL/L LC50 static 19500 - 20700: 96	
		h Oncorhynchus mykiss mg/L LC50	
		flow-through 28200: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 100: 96 h Pimephales	
		promelas mg/L LC50 static 13500 -	
		17600: 96 h Lepomis macrochirus	
		mg/L LC50 flow-through	

Persistence/Degradability

Not determined.

Bioaccumulation There is no data for this product.

Mobility

Chemical name	Partition coefficient
Methanol	-0.77
67-56-1	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol		Included in waste stream:		U154
67-56-1		F039		

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Methanol	Toxic
67-56-1	Ignitable

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	1 Gallon = Limited Quantity; 55 and 250 Gallon = Fully Regulated (see below)
UN/ID No Proper Shipping Name Hazard class Packing Group	UN1993 Flammable liquids, n.o.s. (Methanol) 3 III
IATA_	<u>1 Gallon = Fully Regulated (see below, PI 355); 55 and 250 Gallon = Forbidden</u>
UN number Proper Shipping Name Transport hazard class(es) Subsidiary hazard class Packing Group	UN1992 Flammable liquid, toxic, n.o.s. (Methanol) 3 6.1 III
IMDG_	1 Gallon = Limited Quantity; 55 and 250 Gallon = Fully Regulated (see below)
UN number Proper Shipping Name Transport hazard class(es) Subsidiary Hazard Class Packing Group	UN1992 Flammable liquid, toxic, n.o.s. (Methanol) 3 6.1 III

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Methanol	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 – Threshold Values %
Methanol – 67-56-1	67-56-1	5-10	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methanol	X	X	Х
67-56-1			

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability
	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical hazards
	Not determined	Not determined	Not determined

Special Hazards Not determined Personal Protection Not determined

Issue Date: Revision Date: Revision Note: 15-Apr-2019 17-Sep-20 Updated Section 14 information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

ADDITIONAL PRODUCT INFORMATION DISCLOSURE +22°F Washer Fluid 8/3/2021

CAS#	Raw Material	Functional Purpose	List of Concern	
7732-18-5 Water	Water			
67-56-1	Methanol	Reduces freeze point CA Prop 65	CA Prop 65	https://oehha.ca.gov/proposition-65/propositio
			US NTP Reproductive or Developmental Toxicants	https://ntp.niehs.nih.gov/whatwestudy/assessm
			CA Non-Cancer Hazards	https://ntp.niehs.nih.gov/ntp/ohat/methanol/m
				https://oehha.ca.gov/air/general-info/oehha-ac
1116737*	DYE - L85000 LIQUITINT PATENT BLUE	Dye/colorant		
3734-33-6	3734-33-6 Denatonium Benzoate (Bitrex)	Bittering Agent		

*WERKS NUMBER

https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill_id=201720180SB258

<u>tion-65-list</u> <u>ssments/noncancer/completed/index.html</u> /<u>methanol_monograph.pdf</u> -acute-8-hour-and-chronic-reference-exposure-level-rel-summary